



CONSTRUCTION ENTRANCE

SCALE: NONE
EC-101-CT




STRAW BALE REINFORCED SILT FENCE

SCALE: NONE
EC-105-CT



CHAIN LINK FENCE GATE

SCALE: NONE
FSN-102-CT




TEMPORARY DIVERSION SWALE

SCALE: NONE
EC-103-CT

- GENERAL NOTES**
1. INSTALL TEMPORARY DIVERSION SWALES TO CHANNEL WATER FROM DISTURBED AREAS TO THE TEMPORARY SEDIMENT BASIN. ADJUST SWALE LOCATIONS AS NECESSARY PER CHANGING SITE CONDITIONS.
 2. CONTRIBUTING DRAINAGE AREA MUST NOT EXCEED ONE ACRE.


TEMPORARY DIVERSION SWALE

SCALE: NONE
EC-103-CT




CATCH BASIN FILTER BASKET

SCALE: NONE
EC-104-CT




TEMPORARY PANELIZED CONSTRUCTION FENCE

SCALE: NONE
FSN-104b-CT



GENERAL NOTES

1. PROVIDE INLET PROTECTION TO ALL EXISTING CATCH BASINS IN THE VICINITY OF CONSTRUCTION. PROTECT NEW CATCH BASINS AS THEY ARE CONSTRUCTED.
2. GRATE TO BE PLACED OVER FILTER FABRIC.




GENERAL NOTES

1. FOR SLOPE & SWALE INSTALLATIONS, EXTEND FENCE UP SLOPE SUCH THAT BOTTOM ENDS OF FENCE WILL BE HIGHER THAN THE TOP OF THE LOWEST PORTION OF FENCE.
2. FOR FENCE INSTALLED ON LEVEL TERRAIN INSTALL WING SECTIONS PERPENDICULAR TO MAIN BARRIER AT 50'-100' INTERVALS.

SILT FENCE BARRIER

SCALE: NONE
EC-107




GENERAL NOTES

1. NUMBER OF BALES MAY VARY DEPENDING ON SITE CONDITIONS.
2. THE BASIN TO BE SIZED ACCORDING TO: CUBIC FEET OF STORAGE = PUMP DISCHARGE RATE (gpm) x 16.
3. SIZE SHOWN ON PLANS SHALL BE ADJUSTED AS REQUIRED FOR THE ACTUAL PUMPING RATE.

DEWATERING HAY BALE BASIN (TYPE 1)

SCALE: NONE
EC-114-CT




GENERAL NOTES

1. TOOLED CONTROL JOINTS SHALL BE 1" SLAB THICKNESS. TOOL JOINTS EARLY IN FINISHING PROCESS AND RE-RUN TO ENSURE GROOVE BOND HAS NOT OCCURRED.
2. FULL-DEPTH JOINTS SHALL INCORPORATE FULL-DEPTH JOINT FILLER PER SPECIFICATIONS.
3. SIDEWALK SHALL HAVE LIGHT BROOM FINISH.

CONCRETE SIDEWALK

SCALE: NONE
SP-102a-CT



A New Facility for:

Educational Playcare

Storm Center Storms, Connecticut

REVISIONS:
1. 10-16-13 Response to Comments

SCALE: AS NOTED
DATE: 26, SEPTEMBER 2013

KENYON & CUTLER
ARCHITECTS

ONE DARLING DRIVE
AVON, CONNECTICUT 06001
860 677-7258
860 674-8834 FAX

SHEET NAME

DETAILS

C400