


DETAILED PLAY AREA GRADING
SCALE 1" = 10'

NOTES:


1. CONTRACTOR SHALL NOTIFY "CALL BEFORE YOU DIG" (1-800-922-4455) AND VERIFY UTILITY MARK-OUT PRIOR TO THE INITIATION OF ANY SITE DISTURBANCE.
2. THE CONTRACTOR IS SOLELY RESPONSIBLE FOR VERIFICATION OF THE LOCATION AND NATURE OF ALL SUBSURFACE UTILITIES AT THE PROJECT WHICH MAY BE AFFECTED BY THE WORK. COORDINATE WITH RESPECTIVE UTILITY OWNERS AND PERFORM VERIFICATION OF TYPE, LOCATION AND INVERTS AS REQUIRED.
3. THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF ANY AND ALL DISCREPANCIES BETWEEN EXISTING CONDITIONS AND THE CONTRACT DOCUMENTS BEFORE PROCEEDING WITH THAT PORTION OF THE WORK.
4. PROPOSED GRADES INDICATE DESIGN INTENT. VERIFY ELEVATIONS AND MAKE ADJUSTMENTS TO MEET FIELD CONDITIONS AS APPROVED BY THE ENGINEER.
5. GRADE TRANSITION BETWEEN TOPOGRAPHIC LINES AND SPOT GRADES SHALL BE UNIFORM UNLESS OTHERWISE INDICATED.
6. AT THE CONCLUSION OF THE WORK, CONTACTOR SHALL REMOVE ALL ACCUMULATED SEDIMENT MATERIAL FROM ALL PORTIONS OF THE STORM DRAINAGE SYSTEM, INCLUDING NEW WORK AND EXISTING WORK THAT REMAINS OR IS INCORPORATED INTO THE NEW SYSTEM.

LEGEND

	TOPOGRAPHY: MAJOR INTERVAL WITH LABEL
	TOPOGRAPHY: MINOR INTERVAL
	TOPOGRAPHY: SPOTGRADE
	STORMWATER PIPE
	UNDERDRAIN
	ROOF LEADER
	STORM MANHOLE
	PERFORATED PIPE IN STONE TRENCH



SCALE: 1" = 20'
BSC GROUP
180 Glastonbury Boulevard
Suite 103
Glastonbury, Connecticut 06033
860.652.8227



A New Facility for:
Educational Playcare
Storrs Center Storrs, Connecticut

REVISIONS:
1. 10-16-13 Response to Comments

SCALE: 1" = 20'-0"
DATE: 26, SEPTEMBER 2013

KENYON & CUTLER
ARCHITECTS

ONE DARLING DRIVE
AVON, CONNECTICUT 06001
860.677-7395
860.674-8264 FAX

SHEET NAME

GRADING AND DRAINAGE PLAN

C200