

AGENDA
Inland Wetland Agency
Regular Meeting
Monday, October 5, 2009
Council Chambers, Audrey beck Building

Call to Order: 7:00 PM

Review of Minutes of Previous Meetings and Action Thereon:

9.08.2009 - Regular Meeting
9.15.2009 - Field Trip

Communications:

Conservation Commission: W1438- Beall & Higgins- Wormwood Hill Road

GM monthly business memorandum

Outstanding Enforcement Actions:

Old Business:

7:15 p.m. Public Hearing:

W1438- Beall & Higgins- Wormwood Hill Road-Single Family House in Buffer

New Business:

W1440- Chew- Thornbush Road- House Addition & Shed
W1441- Kleinfelder-7 Storrs Road- Soil Testing

Modification Request:

W1439- Kovarovics- Daleville Road

Reports of Officers and Committees:

Other Communications and Bills:

1. 2009 Municipal Inland Wetland Commissioners Training Program: Segment 3

Adjournment:

PAGE
BREAK

DRAFT MINUTES
MANSFIELD INLAND WETLANDS AGENCY
Regular Meeting
Tuesday, September 8, 2009
Council Chambers, Audrey P. Beck Municipal Building

Members present: R. Favretti (Chairman), J. Goodwin, K. Holt, P. Kochenburger, B. Pociask, B. Ryan
Members absent: B. Gardner, R. Hall P. Plante
Alternates present: M. Beal, G. Lewis, L. Lombard (7:08 p.m.)
Staff present: G. Meitzler (Wetlands Agent)

Chairman Favretti called the meeting to order at 7:01 p.m. Alternates Beal, Lewis and Lombard were appointed to act in members' absence.

Minutes:

8-3-09 - Beal MOVED, Ryan seconded, to approve the 8-3-09 minutes as written. MOTION PASSED with all in favor except Goodwin who disqualified herself.

8-19-09 Field Trip - Holt MOVED, Ryan seconded, to approve the 8-19-09 field trip meeting minutes as written. MOTION PASSED with Ryan, Holt, Favretti and Beal in favor and all others disqualified.

Communications:

The 9-19-09 Conservation Commission Draft Minutes and 9-3-09 Wetlands Agent's Monthly Business report were noted. Ryan noted the Conservation Commission's concern regarding invasive plants in the landscape at the CVS site and suggested the IWA respond to the Conservation Commissions comments.

Old Business:

W1424- Whispering Glen Condominiums - Meadowbrook Lane

Holt MOVED, Pociask seconded, to grant an Inland Wetlands License pursuant to the Wetlands and Watercourses Regulations of the Town of Mansfield to Whispering Glen, LLC (file no. W1424), for a 32-unit condominium project on property owned by Lakeway Farms L.P. located on the south side of Meadowbrook Lane, as shown on plans dated 10/15/2008 bearing latest revision date 6/30/2009, and as described in other application submissions. This action is based on the application submissions, comments heard at public hearing sessions held on 5/04/2009, 6/01/2009, 7/06/2009 and 8/03/2009, and written comments received from the Conservation Commission and the Open Space Preservation Committee, and consideration of applicable regulations.

The agency finds that the proposal is a feasible and prudent plan, as now revised and conditioned, and that there are no readily available feasible and prudent alternatives to the proposal. This finding reflects revisions to the footpath along the steep slope at the rear of the project area, reduction in the number of buildings that has increased separation distances from wetlands, and revised protective efforts on the treatment of the sewer line wetlands crossing.

Based on the above considerations, the Agency hereby finds this project will not cause significant impact, provided the following conditions are met:

1. Erosion and sedimentation controls (as shown on the plans) shall be in place prior to construction and maintained during construction and removed when disturbed areas are completely stabilized.
2. The stream flow diversion for the sewer line crossing is to be done during time of low water. A plastic tarp is to be kept on hand, of sufficient size to serve as an emergency liner for stream flow.
3. This approval becomes effective when all required state Department of Environmental Protection permits have been obtained.

Additionally, the Inland Wetlands Agency Chairman, with assistance from the Inland Wetlands Agent, is hereby authorized to approve additional plan revisions, as required by the Planning and Zoning Commission, including but not limited to: grading, drainage and utility systems, parking, landscaping and building locations,

provided the revisions do not significantly alter proposed work within regulated areas or intensify potential impacts on wetlands and watercourses. Any significant revisions shall require additional Inland Wetlands Agency approval.

This approval is valid for a period of five years (until September 8, 2014), unless additional time is requested by the applicant and granted by the Inland Wetlands Agency. The applicant shall notify the Wetlands Agent before any work begins, and all work shall be completed within one year. Any extension of the activity period shall come before this Agency for further review and comment. MOTION PASSED with all in favor except Goodwin who disqualified herself.

W1436- Gaffney- 125 Wildwood Road - 90' x 30' Fire Pond

Holt MOVED, Beal seconded, to grant an Inland Wetlands License under Section 5 of the Wetlands and Watercourses Regulations of the Town of Mansfield to Matthew Gaffney (file no. W1436), for construction of a low stonewall on the easterly edge of the wetland next to the house, on property owned by the applicant, located at 125 Wildwood Road, as shown on plans dated 9/1/09 and a letter dated 8/21/09, and as described in other applications submissions.

This action is based on a finding of no anticipated significant impact on the wetlands, and is conditioned upon the following provisions being met:

1. Erosion and sedimentation controls shall be in place prior to construction and maintained during construction and removed when disturbed areas are completely stabilized;
2. Silt fence shall be installed along the line of the new stonewall to protect against sediment moving into the active brook-flow area.
3. Said silt fence shall be located with the consent of Wetlands Agent Meitzler, and it shall be depicted on the 9/1/09 plan before any work begins.
4. There shall be no work done beyond the limits shown on the 9/1/09 plan.

This approval is valid for a period of five years (until September 8, 2014), unless additional time is requested by the applicant and granted by the Inland Wetlands Agency. The applicant shall notify the Wetlands Agent before any work begins, and all work shall be completed within one year. Any extension of the activity period shall come before this Agency for further review and comment. MOTION PASSED UNANIMOUSLY.

W1437- B'Nai Brith (Hillel)- North Eagleville Rd- parking & yard work

Pociask disqualified himself. Attorney Samuel Schragger summarized the key components of this application which include safe parking and safe pedestrian access. Holt MOVED, Ryan seconded, to grant an Inland Wetlands License under Section 5 of the Wetlands and Watercourses Regulations of the Town of Mansfield to B'nai Brith, Hillel of Connecticut Foundation, (file no. W1437), for parking, yard work and sidewalks, on property owned by the applicant, located at 54 North Eagleville Road, as shown on plans dated July 28, 2009 with sediment and erosion protection added, and as described in other applications submissions.

This action is based on a finding of no anticipated significant impact on the wetlands, and is conditioned upon the following provisions being met:

1. Erosion and sedimentation controls (as shown on the plans) shall be in place prior to construction and maintained during construction and removed when disturbed areas are completely stabilized;
2. The silt fencing shown on the plan shall be extended along the west side of the wetlands, placing it between the presently cleared areas and the wetland. This involves a distance of about 75 feet.
3. This approval is limited to the work on the 7/28/09 plan, the additional silt fencing, and the removal of stumps from the presently cleared area behind the building. Other work, including grading for future parking areas, will require additional Wetlands Agency approvals.
4. Construction shall not commence until UConn's approval is provided, as portions of the sidewalk and proposed driveway area are on UConn property.

This approval is valid for a period of five years (until September 8, 2014), unless additional time is requested by the applicant and granted by the Inland Wetlands Agency. The applicant shall notify the Wetlands Agent before

any work begins, and all work shall be completed within one year. Any extension of the activity period shall come before this Agency for further review and comment. MOTION PASSED with all in favor except Pociask who had disqualified himself.

New Business:

W1438- Beall & Higgins- Wormwood Hill Road-Single Family House in Buffer

The applicants' representative from Killingly Engineering and the abutters' Attorney, Matthew Willis, requested a Public Hearing. Holt MOVED, Ryan seconded, to receive the application submitted by J. C. Beall and Katrina Higgins (IWA File #1438) under Section 5 of the Wetlands and Watercourses Regulations of the Town of Mansfield for the construction of a single family residence and on-site well and septic, at Wormwood Hill Road, on property owned by the applicant, as shown on a map dated 6-12-09, and as described in other application submissions, and to refer said application to the staff and Conservation Commission for review and comment, and to set a Public Hearing for October 5, 2009. MOTION PASSED with all in favor except Goodwin who was opposed.

Field Trip:

A field trip date was set for Tuesday, September 15, 2009 at 1:00 p.m.

Reports of Officers and Committees:

None noted.

Other Communications and Bills:

Noted.

Adjournment:

The meeting was adjourned at 7:38 p.m.

Respectfully submitted,

Katherine K. Holt, Secretary

PAGE
BREAK

MINUTES

MANSFIELD INLAND WETLAND AGENCY/PLANNING AND ZONING COMMISSION
FIELD TRIP
Special Meeting
Tuesday, September 15, 2009

Members present: R. Favretti, M. Beal, B. Gardner, K. Holt, B. Ryan, J. Goodwin
Staff present: G. Meitzler, Wetlands Agent, Assistant Town Engineer
C. Hirsch, Zoning Agent
J. Silander- Conservation Commission (item #2)

The field Trip began at 1:10 p.m.

1. GHIAEI PROPERTY, 1620 Storrs Road, PZC File #1276-2
Members were met by Y. Ghiaei and son. Site and neighborhood characteristics were observed. No decisions were made.
2. BEAL/HIGGINS PROPERTY, Wormwood Hill Road, IWA File #W1438
Members were met by G. Glaude, J. C. Beal, J. Stevenson, and W.P. Handwerker. Site and neighborhood characteristics were observed. No decisions were made.
3. BELL PROPERTY, 552 Bassetts Bridge Road, PZC File #1217
Members were met by Mrs. Bell. Site and neighborhood characteristics were observed. No decisions were made.

The field trip ended at approximately 2:15 p.m.

Respectfully submitted,

K. Holt, Secretary

PAGE
BREAK

Town of Mansfield
CONSERVATION COMMISSION
Meeting of 16 September 2009
Conference B, Beck Building
(DRAFT) MINUTES

Members present: Scott Lehmann, John Silander, Joan Stevenson. *Members absent:* Robert Dahn, Peter Drzewiecki, Quentin Kessel, Frank Trainor. *Others present:* JC Beall, Katrina Higgins, Grant Meitzler (Wetlands Agent).

1. The meeting was **called to order** at 7:37p by Acting Chair John Silander.
2. The draft **minutes of the 19 August 09 meeting**, circulated by e-mail shortly thereafter, were approved as written.

3. IWA referral W1438 (Beall & Higgins, Wormwood Hill Rd) Because abutters did not receive the legally required notice, the proposal approved by the IWA as W1433 is being considered *de novo*.

Silander participated in the IWA Field Trip to the site on 9/15/09 and made the following observations: (1) The small wetland shown on the site plan did not have any typical wetland vegetation, but may contain standing water at times. To qualify as a vernal pool, water would have to remain in it for at least a month in the spring. A determination of whether this is likely is a matter for a hydrologist. (2) It is also unclear whether the small wetland drains to a pond below (if it does, the potential impact on wetlands may be greater); this also is a matter for a hydrologist. (3) Only a portion of the septic system and a portion of the driveway lie within the 150 ft wetlands buffer; it may be possible to alter the plan slightly so that house, driveway, and septic are not in the buffer (and the proposal needs no wetlands permit).

Concerning (1), Meitzler pointed out that a vernal pool is just a wetland from the perspective of Town wetland regulations, so a finding that it is or isn't a vernal pool has no regulatory force. Concerning (2), he noted that the wetland is in a bowl whose lip rises 12-18 inches above it on the down-slope side.

Stevenson and Lehmann recused themselves, leaving just one disinterested Commission member present, a number insufficient to pass a credible motion, even by the Commission's relaxed standards. Accordingly, the members present agreed simply to pass the above observations along to the IWA. {Beall & Higgins then left the meeting.}

4. 2009 Planning Acquisition and Management Guidelines. These guidelines, updated by the Town Council on 8/24/09, assign to the Commission responsibility for "periodically monitoring Mansfield's existing conservation easements." (IV) Since there are many such easements, this will be a big job. While planning was deferred to a better-attended meeting, it was suggested (1) that we settle on a monitoring period – one year? two years? – and schedule site visits on a monthly basis throughout it, and (2) that we enlist the help of neighbors through letters asking them to report any untoward activity on conservation easements. In response to a query about who is responsible for posting signs demarcating conservation easements, Meitzler said that most easements are connected to subdivisions and that the subdivision's surveyor must certify that boundaries are correctly delineated and signed.

5. Invasive plantings. The CVS site was replanted with invasives because Town regulations cover only new projects, not replantings (unlike current State regulations, which prohibit planting invasives on state land, including UConn property). The sense of members present

was that the Commission should propose stronger regulations to the PZC, but this too was deferred to a better-attended meeting.

6. Adjourned at 8:15p

Scott Lehmann, Secretary, 17 September 09

Memorandum:

October 1, 2009

To: Inland Wetland Agency
From: Grant Meitzler, Inland Wetland Agent
Re: Monthly Business

W1419 - Chernushek - hearing on Order

- 3.10.09: The hearing on the Order remains open and should continue until the permit application under consideration is acted upon.
(The Order was dropped on approval of the application required in the Order.)
- 4.30.09: Former rye grass seeding is beginning to show green. I spoke with Mr. Chernushek this afternoon who indicated health problems that delayed his starting but indicated he will be working this weekend. I will update on this Monday evening.
- 5.26.09: A light cover of grass growth has come in. Mr. Chernushek indicates health problems and two related deaths have delayed his start of work since the permit approval was granted. It appears that some light work has started. He has further indicated that he will start a vacation on June 22, 2009 to finish the work.
- 6.13.09: Work is underway.
- 6.21.09: Bulldozer work has been completed - finish work remains. The additional silt fencing has been placed along the northerly wetlands crossing, and the additional pipe under the southerly crossing has been installed. Remaining work includes finish grading along edges, spreading stockpiled topsoil, and establishing grass growth.
- 7.01.09: I spoke with Mr. Chernushek who indicated he expects work to be completed by September 1, 2009. (Site photo attached).
- 9.03.09: Mr. Chernushek has been working on levelling and grading. The formerly seeded areas have become fairly thick growth surrounding the central wet areas. He has further indicated that with the combination of weather and the slower moving of earth with the payloader compared to the earlier rented bulldozer has led him to contact contractors for earth moving estimates which have not yet been received. The site is not yet finished but has remained quite stable.
- 9.12.09: I met with Mr. Chernushek today and discussed again what his plans are for stabilizing this work site.
- 10.01.09: Mr. Chernushek indicated he has not heard back from the contractor he had spoken with about removing material, and is in progress of contacting others. In discussion is removal of material from the site either within the 100 cubic yard limit or obtaining a permit for such removal.

Bell - Bassetts Bridge Rd - Garden Center

- 8.21.08: Inspection: No work in progress. Areas of future greenhouse now grown to grass, with areas of potted plants and piles of wood chips. Areas around the pond are protected with natural growth or wood chips. I saw no problems.
- 9.16.08: Minor mowing of brush has been done at lawn edges leading towards the pond area. Work remains consistent with the earlier wetlands approval.
- 10.14.08: Work has been very limited and is consistent with the

- present plant sale operations.
- 11.18.08: No change - site appears closed for the winter.
 - 12.08.08: Light snow cover. No site work in progress.
 - 1.08.09: Snow cover frozen. Site inactive.
 - 2.17.09: No change.
 - 4.01.09: Selective logging operation in progress in wooded areas away from the nursery operation. A few loads of wood chips are being spread along edges of ponded area.
 - 4.14.09: As previous, preparations for opening plant sale areas are in progress.
 - 5.08.09: They are open for the season and the site is in good shape.
 - 6.10.09: Site remains in good shape.
 - 7.16.09: Site remains in good shape.
 - 8.12.09: Site remains in good condition.
 - 9.14.09: Site is in excellent condition.

Mansfield Auto Parts - Route 32

- 8.20.08: Inspection - no vehicles are within 25' of wetlands.
- 9.15.08: Inspection - no vehicles are within 25' of wetlands.
- 10.14.08: Inspection - no vehicles are within 25' of wetlands.
- 11.14.08: Inspection - no vehicles are within 25' of wetlands.
- 12.08.08: Inspection - no vehicles are within 25' of wetlands.
- 1.16.09: Inspection - no vehicles are within 25' of wetlands.
- 2.24.09: Inspection - no vehicles are within 25' of wetlands.
- 3.06.09: Inspection - no vehicles are within 25' of wetlands.
- 4.14.09: Inspection - no vehicles are within 25' of wetlands.
- 5.11.09: Inspection - no vehicles are within 25' of wetlands.
- 6.10.09: Inspection - no vehicles are within 25' of wetlands.
- 7.16.09: Inspection - no vehicles are within 25' of wetlands.
- 8.12.09: Inspection - no vehicles are within 25' of wetlands.
- 9.14.09: Inspection - no vehicles are within 25' of wetlands.

Memorandum:

October 1, 2009

To: Inland Wetland Agency
From: Grant Meitzler, Inland Wetland Agent
Re: New Business for the October 5, 2009 meeting

Modification Request:

W1439 - Kovarovics - Daleville Rd - driveway relocation

	yes	no
	-----	-----
fee paid	x	
certified receipts	n.a.	
map dated	12.20.07 revised 9.19.09	

This application is for a change to the driveway access that was previously approved. The change will eliminate a pulloff parking area next to the road on the north side, and place a driveway leading to the house on the south side. No work is proposed in wetlands but work is within the 150' regulated area adjacent to wetlands.

Wetland Separating Distances

item	previous	proposed
	-----	-----
house	40	40
septic	44	44
reserve	40	40
driveway	68	26
footing drain ...	32	32
well	73	73

Copies of the original approval motion and map are attached.

The applicant has submitted the full application form in the event the Agency feels a full permit review is needed.

New Applications:

W1440 - Chew - Thornbush Rd - house addition & shed in buffer

	yes	no
	-----	-----
fee paid	x	
certified receipts	x	
map dated	12.20.07 revised 9.19.09	

This application is for a house addition and a shed for an existing property. No work is proposed in wetlands but work is within the 150' regulated area adjacent to wetlands.

Receipt and referral to the Conservation Commission is appropriate.

W1441 - Kleinfelder/Mittelman - 7 Storrs Rd - Site investigation

	yes	no
	-----	-----
fee paid	x	
certified receipts	x	
map dated	9.18.2009	

This application is for site investigation to determine limits of soil contamination on the north side of the site. The work described is for borings to obtain soil samples for testing and testing at a site drainage system outlet.

Receipt and referral to the Conservation Commission is appropriate.

APPLICATION FOR PERMIT
MANSFIELD INLAND WETLANDS AGENCY
4 SOUTH EAGLEVILLE ROAD, STORRS, CT 06268
TEL: 860-429-3334 OR 429-3331
FAX: 860-429-6863

FOR OFFICE USE ONLY

File # W 1439
Fee Paid 650
Official Date of Receipt 9-28-09

REQUEST FOR MODIFICATION

Applicants are referred to the Mansfield Inland Wetlands and Watercourses Regulations for complete requirements, and are obligated to follow them. For assistance, please contact Grant Meitzler, Inland Wetlands Agent at the telephone numbers above.

Please print or type or use similar format for computer, attach additional pages as necessary.

Part A - Applicant

Name MICHAEL AND KIM KOVAROULIS

Mailing Address P.O. Box 04

ASHFORD, CT

Zip 06278

Telephone-Home 429-7727

Telephone-Business CELL: 208-1099

Title and Brief Description of Project

CHANGE DRIVEWAY LOCATION

Location of Project DALEVILLE ROAD NEAR SNET POLE # 3015

Intended Start Date 10-15-09

Part B - Property Owner (if applicant is the owner, just write "same")

Name SAME

Mailing Address _____

Zip _____

Telephone-Home _____

Telephone-Business _____

Owner's written consent to the filing of this application, if owner is not the applicant:

Signature _____

date _____

Applicant's interest in the land: (if other than owner) _____

Part C - Project Description (attach extra pages, if necessary)

1) Describe in detail the proposed activity here or on an attached page. (See guidelines at end of application – page 6.)

Please include a description of all activity or construction or disturbance:

- a) in the wetland/watercourse
- b) in the area **adjacent** to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is **off** your property

SEE ATTACHED PROJECT DESCRIPTION

2) Describe the amount or area of disturbance (in square feet or cubic yards or acres):

- a) in the wetland/watercourse
- b) in the area **adjacent** to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is **off** your property

SEE ATTACHED PROJECT DESCRIPTION

3) Describe the type of materials you are using for the project:

SEE ATTACHED PROJECT DESCRIPTION

a) include **type** of material used as fill or to be excavated

SEE ATTACHED

b) include **volume** of material to be filled or excavated

PROJECT DESCRIPTION

4) Describe measures to be taken to minimize or avoid any adverse impacts on the wetlands and regulated areas (silt fence, staked hay bales or other Erosion and Sedimentation control measures).

SEE ATTACHED PROJECT DESCRIPTION

Part D - Site Description

Describe the general character of the land. (Hilly? Flat? Wooded? Well drained? etc.)

SEE ATTACHED PROJECT DESCRIPTION

Kovarovics - Daleville Road - Inland Wetland Application

Part C & D - Project description

Subject property is located on the easterly side of Daleville Road being a lightly wooded site with slopes of 2 to 17 percent containing 3.6 acres. The wetlands in the area of the proposed improvements are associated with an intermittent watercourse located northerly and easterly of the proposed house.

There is no proposed activity within wetland soils, as delineated by a certified soil scientist. The proposed activity within the upland review area is as follows:

- Driveway - ~~16~~ feet at its closest point
- House - 40 feet at its closest point
- Foundation Drain - 32 feet at its outlet
- Well - 73 feet at its closest point
- Septic Tank - 64 feet at its closest point
- Pump Chamber - 60 feet at its closest point
- Primary Septic Area - 44 feet at its closest point

The proposed development will disturb approximately 16,050 square feet (0.37 acres) of upland soils. Approximately 60 cubic yards of septic fill will be required for the installation of the proposed septic system. Approximately 60 cubic yards of gravel fill will be required for the construction of the proposed driveway and approximately 500 cubic yards of clean fill will be required for the construction of the proposed house. The proposed house has been designed to accommodate a walkout basement in the rear matching the existing grade reducing the amount of fill required.

The wetlands located down gradient from the proposed improvements will be protected with a silt fence barrier and maintained until all disturbed areas have been stabilized. The equipment to be used will consist of an excavator, bulldozer and backhoe.

| WA

Request for site change

9-28-2009

Kim & Mike Kovarovics
Daleville Road Property

Reasons for Change in Driveway Access

With the driveway in its present location, several dangerous conditions exist such as:

- Backing onto Daleville Road into oncoming traffic
- The possibility of heavy delivery trucks etc. inadvertently causing damage to the proposed septic system
- Damage to parked vehicles from plowing, sanding and vandals

The proposed driveway location would allow for direct access to the basement level to accommodate a garage keeping vehicles inside protected and out of sight, as well as allowing for a turn-around area for safer entrance onto Daleville Road and a more direct access to the house for emergency needs .

PAGE
BREAK

OLD MOTION

Wetlands DRAFT Motion for: Kovarovicks

Holt moves and ^{grant} seconds to ~~grant~~ an Inland Wetlands License under Section 5 of the Wetlands and Watercourses Regulations of the

Town of Mansfield to Michael + Kim Kovarovicks

(file W 1296) for construction of a single-family dwelling
on a lot of record

on property owned by the applicants

located at Daleville Rd near SNET Pole #3015

as shown on a map dated 12/20/07, revised through

and as described in other application submissions, and ~~as heard at Public Hearing(s) on~~

This action is based on a finding of no anticipated significant impact on the wetlands, and is conditioned upon the following provisions being met:

1) Appropriate erosion and sedimentation controls (as shown on the plans) shall be in place prior to construction, maintained during construction and removed when disturbed areas are completely stabilized;

~~2) Maps shall not be signed until all DEP permit requirements have been addressed;~~

2) There shall be a minimum separating distance of 25 feet between site work and the edge of wetlands, and the installation of silt fence as shown on the plan shall provide a staked work limit.

(last) This approval is valid for a period of five years (until 4/07/13), unless additional time is requested by the applicant and granted by the Inland Wetlands Agency. The applicant shall notify the Wetlands Agent before any work begins, and all work shall be completed within one year. Any extension of the activity period shall come before this agency for further review and comment.

APPLICATION FOR PERMIT
MANSFIELD INLAND WETLANDS AGENCY
4 SOUTH EAGLEVILLE ROAD, STORRS, CT 06268
TEL: 860-429-3334 OR 429-3331
FAX: 860-429-6863

FOR OFFICE USE ONLY

File # W 1440
Fee Paid \$155.00
Official Date of Receipt 9-28-09

Applicants are referred to the Mansfield Inland Wetlands and Watercourses Regulations for complete requirements, and are obligated to follow them. For assistance, please contact Grant Meitzler, Inland Wetlands Agent at the telephone numbers above.

Please print or type or use similar format for computer, attach additional pages as necessary.

Part A - Applicant

Name Michael R. Chew

Mailing Address 16 Thornbush Rd
Mansfield Center CT Zip 06250

Telephone-Home 860-460-8538 Telephone-Business _____

Title and Brief Description of Project 15x15 Addition to existing
house and a 15x20 shed

Location of Project See attached Map

Intended Start Date Addition - Spring 2010 Shed - Fall 2009

Part B - Property Owner (if applicant is the owner, just write "same")

Name Same

Mailing Address _____

Zip _____

Telephone-Home _____ Telephone-Business _____

Owner's written consent to the filing of this application, if owner is not the applicant:

Signature _____ date _____

Applicant's interest in the land: (if other than owner) _____

Part C - Project Description (attach extra pages, if necessary)

1) Describe in detail the proposed activity here or on an attached page. (See guidelines at end of application - page 6.)

Please include a description of all activity or construction or disturbance:

- a) in the wetland/watercourse
- b) in the area **adjacent** to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is **off** your property.

Addition - 15x15 Room w/ concrete foundation Built into existing house.

Shed - 15x20 Storage shed built on eastern edge of property

2) Describe the amount or area of disturbance (in square feet or cubic yards or acres):

- a) in the wetland/watercourse
- b) in the area **adjacent** to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is **off** your property.

Addition - 225 ft²
Shed - 300 ft²

3) Describe the type of materials you are using for the project: concrete foundation
typical Building Materials i.e. Lumber, Fasteners, Shingles

- a) include **type** of material used as fill or to be excavated. Topsoil to eliminate frost heave
- b) include **volume** of material to be filled or excavated.

4) Describe measures to be taken to minimize or avoid any adverse impacts on the wetlands and regulated areas (silt fence, staked hay bales or other Erosion and Sedimentation control measures).

Silt fence and hay bales as needed

Part D - Site Description

Describe the general character of the land. (Hilly? Flat? Wooded? Well drained? etc.)

Addition - flat one tree to be removed
Shed - slight hill, will be graded out to level

- 2) Notice to Adjoining Town. If your property is within 500 feet of an adjoining town, you must also send a copy of the application, on the same day you sent one to Mansfield, to the Inland Wetlands Agency of the adjoining town, by certified mail, return receipt requested.
- 3) The Statewide Reporting Form (attached) shall be part of the application and specified parts must be completed and returned with this application.

Part J - Other Impacts To Adjoining Towns, if applicable

- 1) Will a significant portion of the traffic to the completed project on the site use streets within the adjoining municipality to enter or exit the site? ___ Yes ___ No ___ Don't Know
- 2) Will sewer or water drainage from the project site flow through and impact the sewage or drainage system within the adjoining municipality? ___ Yes ___ No ___ Don't Know
- ~~3) Will water run-off from the improved site impact streets or other municipal or private property within the adjoining municipality? ___ Yes ___ No ___ Don't Know~~

Part K - Additional Information from the Applicant

Set forth (or attach) any other information which would assist the Agency in evaluating your application. *(Please provide extra copies of any lengthy documents or reports, and extra copies of maps larger than 8.5" x 11", which are not easily copied.)*

Part L - Filing Fee

Submit the appropriate filing fee. (Consult Wetlands Agent for the fee schedule available in the Mansfield Inland Wetlands and Watercourses Regulations.)
 ___ \$385. ___ \$110. ___ \$60. ___ \$25.

Note: The Agency may require you to provide additional information about the regulated area which is the subject of the application, or about wetlands or watercourses affected by the regulated activity. If the Agency, upon review of your application, finds the activity proposed may involve a "significant activity" as defined in the Regulations, additional information and/or a public hearing may be required.

The undersigned applicant hereby consents to necessary and proper inspections of the above mentioned property by members and agents of the Inland Wetlands Agency, at reasonable times, both before and after the permit in question has been granted by the Agency.

Applicant's Signature

Date

[Handwritten Signature] 28 Sept 09

EASTERN HIGHLANDS HEALTH DISTRICT B100A APPLICATION

(for building conversion, change of use, building addition, accessory structure and lot line change)

The initial review time is 5 - 10 working days. Applications requiring soil testing will require additional time to complete the review process.

APPLICANT / OWNER SECTION	16 Thornbush Rd Address of proposed activity	Street Number	1 Mansfield Center Town
	Chew, Michael R. Owner Name	16 Thornbush Rd Mailing Address (street address, city, zip)	180-460-8538 Telephone
	Applicant Name (if different than owner)	Mailing Address (street address, city, zip)	Telephone
PROPOSED ACTIVITY	Describe the proposed structure or activity with dimensions (e.g. = "addition with bedroom, bathroom and family room" or "in ground/above ground pool" or "deck" or "winterizing existing porch")		
	Addition of Living Room to existing house Building Shed in Side yard		
EXISTING PROPERTY USE	Residential <input checked="" type="checkbox"/> Number of existing bedrooms <u>1</u> Non-residential _____ Please describe _____ Property served by septic system? <input checked="" type="radio"/> N Age of System <u>4 yrs?</u> Property served by on-site well? <input checked="" type="radio"/> Y <input checked="" type="radio"/> Other <u>Williamatic water</u>		
PLAN NEEDS	Plot plan – attach a scaled drawing showing property lines and dimensions, location and size of existing and proposed structures, and site features, such as driveways, wells and septic systems, drains and watercourses. Building plan – attach a sketch/floor plan of the proposed structure, addition or renovation showing existing and proposed rooms with door and window locations.		
SOIL DATA REQUIRED	NOTE: Soil test data (deep test pits and percolation test) are required for the review of this application. If soil test data is NOT available in your property file, you will need to schedule an appointment with the health district sanitarian in your town for soil testing (additional application and fees are required). Please schedule soil testing as soon as reasonably possible to avoid delays in processing your application. If you have any questions regarding the soil testing, please contact the Eastern Highlands Health District sanitarian in your town.		
	As property owner or duly authorized representative of the property owner of the above referenced property, I agree to permit EHHD staff to enter the above referenced property as part of this B100a application review process. I further agree that this authorization to enter the subject property may extend through a period of time ending with the final B100a application approval and affirm such with my signature below.		
	Please read the requirements above before signing and submitting this application.		
	Applicant Signature	Date <u>28 Sept 09</u>	
OFFICE USE ONLY	Application approved <input checked="" type="checkbox"/> Not approved _____ By Date <u>9/28/09</u> Comments/Conditions _____		

Please return this form, plans and an application review fee of \$40 to the Eastern Highlands Health District office in your town.



- REFERENC
1. "BOUND MANISFE BY DATI
 2. "BOUND MANISFE WAGNER DATUM 1
 3. "PLAN O WILLIAM CIVIL EN
 4. "THE RIC = 100'
 5. "PLAN F 1978" R
 6. "MAP SH CONN. S RECORDE

6/22/06
 10x12 shed assembled from kit will be located on an existing concrete slab from old foundation



N/F LAND OF MICHELLE L. & JOHN G. DEMERS
 16A THORNBUSH ROAD

N/F LAND OF ANTHONY B. & MAYRE J. ZELONIS
 16 THORNBUSH ROAD



1:30'

PORTION OF LAND CONVEYED TO ROYAL DATED JULY 20, 1944 AND RECORDED LAND RECORDS...

N/F LAND OF

THORNBUSH ROAD

N 44°-00'-27" E
 40.80'

N 55°-17'-23" W
 51.00'

N 55°-17'-23" W
 152.80'

203.80'

34.50'

WOOD PILING RECENTLY REMOVED

WOOD SET

WOOD SET

PAVE

APPLICATION FOR PERMIT
MANSFIELD INLAND WETLANDS AGENCY
4 SOUTH EAGLEVILLE ROAD, STORRS, CT 06268
TEL: 860-429-3334 OR 429-3331
FAX: 860-429-6863

FOR OFFICE USE ONLY

File #
W 1441
Fee Paid \$155
Official Date of Receipt 10-1-09

Applicants are referred to the Mansfield Inland Wetlands and Watercourses Regulations for complete requirements, and are obligated to follow them. For assistance, please contact Grant Meitzler, Inland Wetlands Agent at the telephone numbers above.

Please print or type or use similar format for computer; attach additional pages as necessary.

Part A - Applicant

Name John Liddon of Kleinfelder

Mailing Address 99 Lamberton Road, Suite 201

Windsor, CT Zip 06095

Telephone-Home _____ Telephone-Business 860-683-4200 ext 139

Title and Brief Description of Project

Delineation Investigation and Wetland Surface Water/Sediment sampling

Location of Project 7 Storrs Road, Willimantic, CT

Intended Start Date Upon wetland permit approval

Part B - Property Owner (if applicant is the owner, just write "same")

Name Eugene S. Mittelman

Mailing Address 3400 South Ocean Boulevard

Palm Beach, FL Zip 33480

Telephone-Home _____ Telephone-Business _____

Owner's written consent to the filing of this application, if owner is not the applicant:

Signature see attached date _____

Applicant's interest in the land: (if other than owner) Environmental Monitoring

Part C - Project Description (attach extra pages, if necessary)

Part E - Alternatives

Have you considered any alternatives to your proposal that would meet your needs and might have less impact on the wetland/watercourse? Please list these alternatives.

N/A

Part F - Map/Site Plan (all applications)

1) Attach to the application a map or site plan showing existing conditions and the proposed project in relation to wetland/ watercourses. Scale of map or site plan should be 1" = 40'; if this is not possible, please indicate the scale that you are using. A sketch map may be sufficient for small, minor projects. (See guidelines at end of application – page 6.)

2) Applicant's map date and date of last revision 9/18/09

3) Zone Classification PB-1 (Planned Business 1 zone)

4) Is your property in a flood zone? Yes No Don't Know

Part G - Major Applications Requiring Full Review and a Public Hearing

See Section 6 of the Mansfield Regulations for additional requirements.

Part H - Notice to Abutting Property Owners

1) List the names and addresses of abutting property owners

Name	Address
Colonial BT LLC	145 I Foster Drive Willimantic, CT 06226-1527
Paul Kozelka Republic Oil Co.	PO Box 436 Willimantic, CT 06226
Connecticut DOT	2800 Berlin Turnpike Newington, CT 06131-7546

2) **Written Notice to Abutters** . You must notify abutting property owners by certified mail, return receipt requested, stating that a wetland application is in progress, and that abutters may contact the Mansfield Inland Wetlands Agent for more information. Include a brief description of your project. Postal receipts of your notice to abutters must accompany your application. (This is not needed for exemptions).

Part I - Additional Notices, if necessary

1) Notice to Windham Water Works is attached. If this application is in the public watershed for the Windham Water Works (WWW), you must notify the WWW of your project within 7 days of sending the application to Mansfield—sending it by certified mail, return receipt requested. Contact the Mansfield Inland Wetlands Agent to find out if you are in this watershed.

2) Notice to Adjoining Town. If your property is within 500 feet of an adjoining town, you must also send a copy of the application, on the same day you sent one to Mansfield, to

the Inland Wetlands Agency of the adjoining town, by certified mail, return receipt requested.

- 3) The Statewide Reporting Form (attached) shall be part of the application and specified parts must be completed and returned with this application.

Part J - Other Impacts To Adjoining Towns, if applicable

- 1) Will a significant portion of the traffic to the completed project on the site use streets within the adjoining municipality to enter or exit the site? ___ Yes No ___ Don't Know
- 2) Will sewer or water drainage from the project site flow through and impact the sewage or drainage system within the adjoining municipality? ___ Yes No ___ Don't Know
- 3) Will water run-off from the improved site impact streets or other municipal or private property within the adjoining municipality? ___ Yes No ___ Don't Know

Part K - Additional Information from the Applicant

Set forth (or attach) any other information which would assist the Agency in evaluating your application. (*Please provide extra copies of any lengthy documents or reports, and extra copies of maps larger than 8.5" x 11", which are not easily copied.*)

Part L - Filing Fee

Submit the appropriate filing fee. (Consult Wetlands Agent for the fee schedule available in the Mansfield Inland Wetlands and Watercourses Regulations.)

___ \$365. ___ \$110. ___ \$60. ___ \$25. \$155.00

Note: The Agency may require you to provide additional information about the regulated area which is the subject of the application, or about wetlands or watercourses affected by the regulated activity. If the Agency, upon review of your application, finds the activity proposed may involve a "significant activity" as defined in the Regulations, additional information and/or a public hearing may be required.

The undersigned applicant hereby consents to necessary and proper inspections of the above mentioned property by members and agents of the Inland Wetlands Agency, at reasonable times, both before and after the permit in question has been granted by the Agency.

John Liddon

2009.09.24
12:02:24 -04'00'

Applicant's Signature

Date



September 24, 2009

Mary Caruso
ExxonMobil Oil Corporation
C/O Quantum Management Group, Inc.
3705 Quakerbridge Road, Ste 102
Hamilton, NJ 08619

**RE: Proposed Scope of Work – Delineation Investigation and Wetland Surface Water/Sediment Sampling
Former Mobil Service Station No. 01-G1P
7 Storrs Road, Willimantic, Connecticut**

Dear Ms. Caruso:

Kleinfelder, on behalf of ExxonMobil Oil Corporation (ExxonMobil), is submitting this scope of work for a release area delineation and wetland surface water and sediment sampling event at the above-referenced site. Based on the data collected to date and on-site sensitive receptors, Kleinfelder is proposing to address the following data gaps previously identified for further site characterization:

- Delineation of the release area associated with AOC-4, the former 55-gallon drum staging area, vertically, to the south and to the north.
- Determination of surface water and sediment conditions in the vicinity of a wetland area receiving storm water run-off from the subject property.

The supplemental site investigation will include the following elements:

- Obtain an inland wetlands permit from the Town of Mansfield, CT
- Pre-drill protocol, including utility mark out (Call-Before-You-Dig)
- Advance shallow soil borings with an approved soft-dig technology and collect soil samples
- Pre-clear a boring location to 8 feet below ground surface (bgs)
- Advance a manually driven geoprobe to collect a soil sample and possibly install a temporary groundwater well
- Survey

SUBSURFACE CLEARANCE PROTOCOL

Prior to subsurface activities, Kleinfelder will notify Connecticut's Call Before You Dig (CBYD) service to complete clearance of public utilities located at the site. Kleinfelder is requesting a variance on the subsurface clearance procedure regarding a private utility mark-out (PUMO). Subsurface structures and utility lines at the subject property were located and mapped during previous investigations. The most recent PUMO was conducted on April 6, 2009. All boring locations will be completed in accordance with all other ExxonMobil subsurface utility clearance procedures. The Subsurface Clearance Checklist will be submitted prior to mobilization to the site for subsurface investigation activities.

SITE INVESTIGATION

The release area associated with the former 55-gallon drum staging area (western portion of AOC-4) is defined to the east and west; however, additional assessment is necessary to delineate the extents of impact to soil vertically (SB-D), to the south (SB-C) and to the north (SB-A and SB-B) of AOC-4. The proposed shallow soil borings will be advanced using a hand auger. The deep (<15 feet bgs) soil boring (SB-D) will be advanced from 8 feet bgs to 15 feet bgs using a hand Geoprobe. Samples will be collected continuously in two-foot depth intervals and subsequently screened using a PetroFLAG ® Hydrocarbon Test Kit. Selected soil samples will be submitted for laboratory analysis based on screening results.

During delineation of the release area to the north, groundwater may be encountered at the ground surface. If saturated soils exist at the ground surface, then it may be necessary to additionally collect groundwater samples to achieve delineation in accordance with Connecticut Department of Environmental Protection (CT DEP) guidance for site characterization. If applicable, groundwater samples will be collected from temporary well points installed at locations SB-A and SB-B. Soil and/or groundwater samples collected for the delineation of AOC-4's release area will be submitted for laboratory analysis for the following parameters:

- Volatile organic compounds (VOCs) and methyl tert-butyl ether (MTBE) by 8260
- Semi-volatile organic compounds (SVOCs) by 8270
- Total and synthetic precipitation leaching procedure (SPLP) Resource Conservation and Recovery Act (RCRA) 8 metals
- Extractable total petroleum hydrocarbons (ETPH) by CT ETPH

Storm water run-off (along with possible historical gasoline surface releases) flows toward two on-site storm water catch basins, which are part of a drainage network emptying into a topographically depressed area adjacent to a wetland area on the northeast section of the property. Surface water and sediment samples will be collected from this discharge area and submitted for laboratory analysis to further characterize conditions at the site. Surface water and sediment samples will be analyzed for the following parameters:

- Aromatic volatile organic compounds (AVOCs) and MTBE by 8260
- Total and SPLP lead (sediment)
- Total and dissolved lead (surface water)

SITE INVESTIGATION REPORT

After the conclusion of site activities and analysis of the data, a Delineation Investigation Report will be prepared which summarizes the investigation activities and findings.

Please contact the undersigned if you have any questions regarding the above-presented scope of work.

Sincerely,
Kleinfelder

 2009.09.24
12:02:44 -04'00'

John J. Liddon
Environmental Scientist

 Date:
2009.09.24
12:03:09 -04'00'


Daniel M. Hunter, PG
Project Manager

Attachment

PAGE
BREAK

2009

Municipal Inland Wetland Commissioners Training Program: Segment 3



The 2009 Training Program

The Municipal Inland Wetland Commissioners Training Program is presented by the Connecticut Department of Environmental Protection (DEP) Wetlands Management Section. Pursuant to the General Statutes of Connecticut Section 22a-39, the DEP is charged with developing an annual comprehensive training program for inland wetlands agency members and staff. The annual program covers a broad range of legal, administrative and scientific subjects relevant to municipal inland wetlands regulation.

Who should attend?

The Municipal Inland Wetland Commissioners Training Program is intended for Connecticut's 170 municipal inland wetlands agencies. The training program is organized into three segments in order to meet the varying needs and diverse backgrounds of agency members and staff. The three segments are designed as follows:

- ✓ Segment 1 is tailored for new agency members and staff.
- ✓ Segment 2 is recommended for all agency members and staff.
- ✓ Segment 3 is designed for agency staff (wetland agents) and experienced agency members.

Is pre-registration required?

Due to limited enrollment, participants must pre-register. Registration is on a first-come, first-served basis with priority given to inland wetlands agency members and staff. Registrants will receive confirmation and directions online or in the mail.

What happens if a program segment is cancelled or rescheduled?

The DEP reserves the right to cancel or reschedule the training program. Registrants will be notified at the earliest possible time and offered a different date/location. If the participant is unable to switch to a different date/location any paid registration fees will be refunded in full.

Can a refund be made if a participant needs to cancel?

Registration fees are refundable only if cancellation is received 48 hours prior to the start of the program. Please call the UConn student services office at 877-892-6264 or 860-486-4905.

Are program registration fees waived for any reason?

CT General Statute Section 22a-42(d) provides that the DEP waive program registration fees for one person from each town. A voucher for Segment 3 of the 2009 Municipal Inland Wetland Commissioners Training Program has been sent to each town's inland wetlands agency with instructions on its use. To be eligible for free registration, the person selected by his or her wetlands agency must include the original DEP voucher with the registration form that is sent to UConn. The prepaid voucher is not transferable and therefore participant substitution is not allowed for those registrants. For online registration use the voucher code to receive complimentary registration.

Which segment meets the agent training requirement pursuant to CT General Statute Section 22a-42a(c)(2)?

The Statute requires duly authorized wetland agents to complete the DEP's comprehensive training program before the above authority can be delegated to them by their inland wetlands agency. Agents who have completed all segments of a DEP Municipal Inland Wetland Commissioners Training Program offered annually since 1995 meet this requirement. Other agents must complete all segments of the 2009 or a future annual training program to meet this requirement.

How does one register for future training programs?

Each year a brochure containing program information and a registration form for Segment 1 and Segment 2, as well as one voucher, are mailed to every municipal inland wetlands agency in February. A second brochure and voucher for Segment 3 are mailed in September. Online registration is also available at these times.



State of Connecticut
Department of Environmental Protection
79 Elm Street, Hartford CT 06106-5127
Amy Marrella, Acting Commissioner
www.ct.gov/dep/inlandwetlands



Visit us online at
continuingstudies.uconn.edu

Connecticut's Inland Wetlands and Watercourses Agricultural Practices

Segment 3 is designed for municipal inland wetlands staff and experienced commission members. This all-day program will provide participants with an understanding of agricultural activities and their relationship to state laws regulating the use of wetlands and watercourses.

Agricultural practices within Connecticut are changing from traditional large-scale operations to smaller, specialty establishments. Since Connecticut law defines agriculture as including forestry, these businesses range in scale from large dairy farms, to both small and large forest product harvests, to small specialty producers. The Inland Wetlands and Watercourses Act (Act) is the primary law governing agricultural pursuits in and around wetlands and watercourses, and it is very likely that land that is being farmed or used for forestry has these resources on it. Therefore Municipal Inland Wetlands Agencies are critical in not only protecting wetland and watercourse resources, but

also in supporting agricultural activities through the appropriate application of the law.

Segment 3 will explore the agricultural topic through four different workshops. Participants may choose to explore forestry issues at one of two locations or agricultural issues at a dairy farm or an equine facility. All four workshops will begin with a morning classroom session in which a summary of the Act's relevant statutory sections will be provided. The classroom portion will continue by examining how agriculture and forestry activities can be consistent with Best Management Practices. Finally, the morning will wrap up with a specific workshop subject presentation. At the Forestry workshops, guest speaker Dr. Paul Barten, Associate Professor of Forest Resources, University of Massachusetts, will provide a presentation related to hydrology of a southern New England watershed. At the dairy and equine workshops, Ms. Joan Nichols, Government Relations Specialist, Connecticut Farm Bureau Association, will discuss Connecticut's changing face of agriculture.

Important Program Details

- ◆ All workshops will be conducted from 9:00 a.m. - 4:00 p.m.
- ◆ Due to workshop class size and field constraints pre-registration is required, no walk-in registrations will be allowed.
- ◆ Workshops will be held rain or shine so please bring rain gear if appropriate. Water-resistant foot wear with good tread is recommended.
- ◆ In the case of severe weather, the afternoon field portion may be canceled.
- ◆ Due to the popularity of Segment 3, please cancel (by calling 860-486-4905) if you cannot attend so that we may notify the next person on the waiting list.
- ◆ Cancellation must be received at least 48 hours prior to the start of the program for a refund.
- ◆ Voucher registrants that fail to attend a Segment or fail to cancel at least 48 hours prior to the program will be charged the full program fee of \$60.00 per segment.
- ◆ Bus transportation from the morning classroom site to the field site will be provided for all locations except Norfolk. Due to very limited parking at the field sites participants must take the bus.
- ◆ At the Norfolk forestry site you will be responsible for your own transportation, over a well maintained dirt road, for the field portion of the program. We encourage carpooling to this field site.
- ◆ The Norfolk site is primarily flat with some uneven and possibly wet terrain.
- ◆ The Marlborough site is a dirt road traversing hilly terrain, while not required, options exist to traverse very rough, uneven, and possibly wet terrain to view certain forestry features.
- ◆ The Lebanon site involves walking on dirt farm roads.
- ◆ The Redding site involves walking across horse pastures.
- ◆ Due to the field nature of this program, and time constraints, it is highly recommended that you bring a lunch; or be prepared to purchase a lunch at a near-by establishment. Morning refreshments will be provided.

Registration Form Wetlands

Please make a copy of this registration form for additional registrants.

Name _____
 (Name as it will appear on your certificate, if applicable)

Phone: Day () _____
 Evening () _____

Preferred Mailing Address: Home Business
 Street _____
 City _____ State _____ Zip _____
 Email _____

Please check the following as they apply to you.

The following required information must be provided for this registration form to be processed.

Check one of the following:

I am a member of my Municipal Inland Wetlands Agency for the Town/City of: _____

I am a municipal employee hired / assigned to support the Inland Wetlands Agency for the Town/City of: _____

My title is: _____

Other, please briefly explain (i.e.: Conservation commission member, concerned citizen, consultant, etc.) _____

Please let us know if you require special services due to a disability:

Directions to segment locations are available online (<http://continuingstudies.uconn.edu/professional/dep/wetlands.htm>).

Certificate Group # 3307

Segment 3, Term 1098

Connecticut's Inland Wetlands and Watercourses: Agricultural Practices

All workshops 9 AM - 4 PM

Forestry Focus Workshops:

- Wednesday, October 21, 2009 Battell Building (AM); Great Mountain Forest (PM), Norfolk (S301)
- Wednesday, October 28, 2009 Colchester Town Hall (AM); Salmon River State Forest (PM), Marlborough (S302)

Agricultural Focus Workshops:

- Wednesday, November 4, 2009 Franklin Wildlife Management Area (AM); Graywall Farm, Lebanon (PM) (S303) Dairy
- Thursday, November 12, 2009 Redding Community Center (AM); Whimsy Brook Farm (PM), Redding (S304) Equine

Fee: \$60 per course section

(includes lunches and refreshments)

- DEP voucher # _____ enclosed.
- Check enclosed made payable to UConn.
- PO# _____
- PO Issuer _____
- Contact Person _____
- Contact Person's Phone # _____

ONLINE: Visit our web site at www.continuingstudies.uconn.edu/professional/dep/wetland.html to pay by credit card (VISA, MasterCard, Discover, or Diners International).

MAIL: Complete the registration form, enclose payment in full, and mail to: University of Connecticut, Center for Continuing Studies, One Bishop Circle, Unit #056, Student and Financial Services, Storrs, CT 06269-1056.

IN PERSON: At the University of Connecticut, Center for Continuing Studies, One Bishop Circle, Student and Financial Services, Room H4, Storrs, CT. Office hours: 8:30 am-4:30 pm, Mon., Tues., Wed., and Fri.; Thurs., 8:30 am-7:00 pm.